



Background

PD-L1, is a ligand that binds with the receptor PD1, commonly found on T-cells, and acts to block T-cell activation. PD1 expression has been observed in a variety of cancers including melanoma and non-small cell lung cancer. The interaction of PD1/PDL1 is hypothesized to be a possible mechanism for the tumor to escape immune response. A number of checkpoint blockade inhibitors including pembrolizumab and nivolumab have been developed that target the PD1/PDL1 interaction in order to allow T-cells to recognize tumor cells without being deactivated by the tumor.

Host Species

Rabbit

Clone

5D3

Application

IHC

Property

1: 1000

State

Liquid

Positive Control

Human Tonsil Tissues

Clonality

Monoclonal

Synonym

CD274, PD-L1

Research Field

Cancer Drug Targets

Source

Rabbit

Isotype


IgG

Storage

Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.

Typical Data

Control Sample



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240) Human Tonsil Tissue, 4X



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240) Human Tonsil Tissue, 20X

Immunohistochemical analysis of paraffin embedded Human tonsil tissue labelled with HCS-S240 at 1/1000 dilution


Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

Cancer Sample











Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240) Human Lung adenocarcinoma, 20X




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240)




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240)



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240)



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240) Human Liver Cancer, 20X



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) -Recombinant Monoclonal Anti-PD-L1 Antibody, Rabbit (5D3) (HCS-S240) Human Lung adenocarcinoma, 20X

Immunohistochemical analysis of paraffin embedded human cancer tissue labelled with HCS-S240 at 1/1000 dilution.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

Clinical and Translational Updates

